

# Laurel Volunteer Fire Department


Laurel, MT

This report was generated on 3/11/2021 3:42:17 PM



## Breakdown by Major Incident Types for Date Range

Zone(s): All Zones | Start Date: 01/01/2020 | End Date: 12/31/2020



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	80	18.35%
Overpressure rupture, explosion, overheating - no fire	3	0.69%
Rescue & Emergency Medical Service	216	49.54%
Hazardous Condition (No Fire)	39	8.94%
Service Call	10	2.29%
Good Intent Call	33	7.57%
False Alarm & False Call	53	12.16%
Special Incident Type	2	0.46%
<b>TOTAL</b>	<b>436</b>	<b>100%</b>

Only REVIEWED and/or LOCKED IMPORTED incidents are included. Summary results for a major incident type are not displayed if the count is zero.



### Detailed Breakdown by Incident Type

INCIDENT TYPE	# INCIDENTS	% of TOTAL
100 - Fire, other	5	1.15%
111 - Building fire	8	1.83%
112 - Fires in structure other than in a building	1	0.23%
113 - Cooking fire, confined to container	2	0.46%
118 - Trash or rubbish fire, contained	7	1.61%
121 - Fire in mobile home used as fixed residence	1	0.23%
123 - Fire in portable building, fixed location	1	0.23%
130 - Mobile property (vehicle) fire, other	2	0.46%
131 - Passenger vehicle fire	8	1.83%
132 - Road freight or transport vehicle fire	2	0.46%
133 - Rail vehicle fire	1	0.23%
140 - Natural vegetation fire, other	3	0.69%
141 - Forest, woods or wildland fire	3	0.69%
142 - Brush or brush-and-grass mixture fire	5	1.15%
143 - Grass fire	20	4.59%
150 - Outside rubbish fire, other	5	1.15%
151 - Outside rubbish, trash or waste fire	2	0.46%
153 - Construction or demolition landfill fire	1	0.23%
154 - Dumpster or other outside trash receptacle fire	2	0.46%
160 - Special outside fire, other	1	0.23%
221 - Overpressure rupture of air or gas pipe/pipeline	1	0.23%
251 - Excessive heat, scorch burns with no ignition	2	0.46%
300 - Rescue, EMS incident, other	1	0.23%
311 - Medical assist, assist EMS crew	92	21.1%
320 - Emergency medical service, other	2	0.46%
322 - Motor vehicle accident with injuries	45	10.32%
324 - Motor vehicle accident with no injuries.	66	15.14%
342 - Search for person in water	2	0.46%
350 - Extrication, rescue, other	1	0.23%
361 - Swimming/recreational water areas rescue	2	0.46%
363 - Swift water rescue	2	0.46%
372 - Trapped by power lines	1	0.23%
381 - Rescue or EMS standby	2	0.46%
400 - Hazardous condition, other	1	0.23%
410 - Combustible/flammable gas/liquid condition, other	3	0.69%
412 - Gas leak (natural gas or LPG)	16	3.67%
424 - Carbon monoxide incident	5	1.15%
440 - Electrical wiring/equipment problem, other	5	1.15%
442 - Overheated motor	1	0.23%
444 - Power line down	6	1.38%
445 - Arcing, shorted electrical equipment	1	0.23%
463 - Vehicle accident, general cleanup	1	0.23%
500 - Service Call, other	1	0.23%
511 - Lock-out	2	0.46%
522 - Water or steam leak	3	0.69%
542 - Animal rescue	2	0.46%
550 - Public service assistance, other	1	0.23%
571 - Cover assignment, standby, moveup	1	0.23%
600 - Good intent call, other	6	1.38%
611 - Dispatched & cancelled en route	3	0.69%
621 - Wrong location	1	0.23%
622 - No incident found on arrival at dispatch address	7	1.61%
631 - Authorized controlled burning	8	1.83%
651 - Smoke scare, odor of smoke	6	1.38%
652 - Steam, vapor, fog or dust thought to be smoke	2	0.46%

Only REVIEWED and/or LOCKED IMPORTED incidents are included. Summary results for a major incident type are not displayed if the count is zero.



### Detailed Breakdown by Incident Type

INCIDENT TYPE	# INCIDENTS	% of TOTAL
700 - False alarm or false call, other	10	2.29%
715 - Local alarm system, malicious false alarm	2	0.46%
730 - System malfunction, other	1	0.23%
731 - Sprinkler activation due to malfunction	3	0.69%
733 - Smoke detector activation due to malfunction	5	1.15%
735 - Alarm system sounded due to malfunction	4	0.92%
736 - CO detector activation due to malfunction	2	0.46%
740 - Unintentional transmission of alarm, other	2	0.46%
743 - Smoke detector activation, no fire - unintentional	12	2.75%
745 - Alarm system activation, no fire - unintentional	9	2.06%
746 - Carbon monoxide detector activation, no CO	3	0.69%
900 - Special type of incident, other	2	0.46%
<b>TOTAL INCIDENTS:</b>	<b>436</b>	<b>100%</b>

Only REVIEWED and/or LOCKED IMPORTED incidents are included. Summary results for a major incident type are not displayed if the count is zero.

